

Volume 36, 1990
Subject Index / Index des matières

- 2,4-dichlorophenoxyacetate, 821
¹³C NMR, 579
¹⁵N, 779
 3-phenoxybenzoate, 495
 7 α -hydroxysteroid dehydrogenase, 131
 α -amylase, 751
 accelerated degradation, 15
 acetogenesis, 579
 acetylene, 430, 765
 acid mine water, 544
 acinetobacters, 657
 acrolein, 500
 Actinomycetes, 97, 254
 actinorhizal nodules, 97
 activated oxygen derivatives, 500
 adherence, 140
 aerobactin, 297
Aeromonas salmonicida, 24
 aflatoxin, 1
 agglutinins, 69
 aggregation, 362
 agrobacteria, 567
Agrobacterium radiobacter, 786
Agrobacterium tumefaciens, 500
 algae, 464
 aliphatic, 169
 alkalophilic bacilli, 176
 allergens, 33
Alnus incana, 97, 649
 American foulbrood, 732
 amino acid, 617
 amino acid transport, 435
 aminopropylhomospermidine, 567
 ammonia, 525
 amoebae, 366
Ampelomyces quisqualis, 193
 amyloglucosidases, 625
 amyolytic yeasts, 751
Anabaena variabilis, 218
 anaerobic, 573
 annual fluctuations, 47
 antagonism, 507
 anti-Lip, 117
 antibiosis, 199
 antibiotic resistance, 891
 antibodies, 117
 antifungal activity, 609
 antifungal compound, 77, 83
 antifungal lipopeptide, 384
 antigenic similarities, 637
 antimicrobial capacity, 582
Apiotrichum curvatum, 318
 appressorium formation, 771
 archaeobacteria, 631
 arginine decarboxylase, 228, 682
 aromatic, 169
Arthrographis pinicola, 77, 83
 arthrographol, 77
 asparaginyl-rhamnose, 631
 aspergillosis, 33
Aspergillus, 33
Aspergillus niger, 435
 attached bacteria, 561
 attachment, 771
Aureobasidium, 751
 axenic mice, 286
Azospirillum, 10, 419, 591
 β -1,4-glucan, 149
 β -amino acid, 164
 β -glucan, 211
 β -glucosidase, 53
Bacillus larvae, 732
Bacillus sphaericus, 804, 870
Bacillus subtilis, 164
Bacillus thuringiensis, 879
 bacteria, 728, 859
 bacterial degradation, 495
 bacterial glycoprotein, 631
 bacterial inoculants, 265
 bacterial inoculation, 591
 bacterial surface, 327
 bacterial toxins, 804
 bactericidal activity, 117
 bacteriocin, 123, 507
 bacterivory, 859
Bacteroides, 690
Bacteroides fragilis, 490
 bark beetle fungi, 77
 BCG Montréal, 735
 beneficial bacteria, 419, 591
 benomyl tolerance, 484
 benthos, 438
Betula pendula, 649
 bifidogenic factors, 286
Bifidobacterium, 286
 bile salts, 299
 binding specificity, 452
 biocontrol, 6, 199
 biocorrosion, 259
 biodegradation, 169
 bioherbicide, 86
 biological control, 193, 754, 760
 biological nitrogen fixation, 591
 biometry, 61
 biosurfactants, 741, 746
 biosynthetic pathway, 1
 blue stain fungus, 83
 bovine serum, 737
Bradyrhizobium japonicum, 794, 839
Brevibacterium linens, 510
 buccal epithelial cells, 336
 caesium, 704
 caffeine, 490
Campylobacter jejuni, 449
 cancer, 735
Candida, 751
Candida albicans, 336
Candida albicans germ tubes, 249
 carcinoma, 359
 catabolic inhibition, 617
 catalase, 449
 catalase genes, 728
 cathodic depolarization, 259
 cell envelope injury, 525
 cell surface, 183, 206
 cell wall, 327
 cell wall assembly, 327
 cell wall polymer, 211
 cell wall protein, 211, 327
 cellulolytic bacteria, 585
 cerulenin, 164
 chlamydo spores, 551
 chloroperoxidase, 302
 cholera toxin, 409, 452
 ciliate, 414
 cloning, 870
Clostridium pasteurianum, 259
 CO₂-induced germ tube formation, 249

- coagulase-negative staphylococci, 455
 cold-shock proteins, 519
 coliforms, 525, 544
 colony development, 682
 colony immunoblot, 231
 ColV, 297
 competition, 864
 congenitally immunodeficient mice, 237
 conidia, 551
 consortium, 573
 cortex, 426
 crossed immunoelectrophoresis, 690
 Cry protein, 879
Cryptococcus, 856
 cyanobacteria, 218
 cyclodextrins, 176
 cyclomaltoextrin glucanotransferase, 176
 cysts, 366
 cytokines, 671
 cytomegalovirus, 341
 decarboxylases, 567
 degradation, 573, 718, 821, 834
 denitrification, 430, 765, 779, 786
 desertomycin, 609
Desulfovibrio, 400
 dibenzothiophene, 718
 dimethyl nitrosamine, 834
 disaccharidases, 223
 disinfection, 109, 557, 801
 dissimilatory ammonia production, 779, 786
 dissimilatory nitrate reduction, 779
 DNA, 341
 DNA breakage, 490
 DNA isolation, 59
 DNA polymorphisms, 538
 DNA repair, 490
 dot blot, 664
 drug susceptibility, 735
 EDTA extract, 690
 ELISA, 292
 encystment, 366
 endotrophic germ tube formation, 249
Enterobacter amnigenus, 779, 786
 enzymatic activity, 551
 enzyme assay, 302
 enzymes, 469
 epidemiologic method, 24
 epidemiology, 64
 eptiopes, 409
 ergosterol, 682
Escherichia coli, 131, 297, 827, 891
Escherichia coli 080, 725
 esculinase, 697
 extracellular enzymes, 530
 feed-particle association, 585
 fibrinogen, 206
 field trails, 794, 839
 filamentous fungi, 625
 filter paper, 231
 fission yeast, 390
Flavobacterium, 228
Flexibacter canadensis, 430, 765
 flow cytometry, 183
 fluorescent pseudomonads, 254
 fractionated rumen content, 585
Frankia, 97, 649
 freeze-etch, 373
 fungal parasites, 69
 fungi, 149, 704
 fungicide, 15
 fungicide resistance, 754
 furunculosis, 24
Fusarium oxysporum, 551
 fusarium wilt, 352
 galactarate, 856
 genotoxicity, 609
 germfree mice, 237
Giardia, 42
 giardiasis, 42
 gliding bacteria, 765
Gliocladium, 484
 glucarate, 856
 glucoamylase, 751
 glucose oxidase, 199, 760
 glutamate synthesis, 469
 glycolipids, 741, 746
 glycoproteins, 69
 gold cytochemistry, 149
 H₂S production, 61
Halobacterium, 299
 HCMV, 341
 heavy-metal resistance, 561
Hebeloma, 682
Helicobacter pylori, 237
 hepatitis A virus, 557
 higher alcohols, 61
 hindgut microbe, 579
 homology, 728
 homospermidine, 228, 567
 honeybee disease, 732
 host cell surface, 771
 host-parasite, 69
 host range, 369
 human erythrocytes, 452
 human papillomavirus, 359
 hybridization, 718
 hydrogen peroxide, 760
 hydrogenase, 259
 hyperplasia, 359
 Hyphomycetes, 77
 immobilized enzyme, 302
 immune response, 292
 immunoblot, 42, 690
 immunoblotting, 637
 immunofluorescence, 92
 indicator, 891
 indigenous bradyrhizobia, 839
 indole-3-ethanol, 649
 inhibitory substance, 123, 507
 inoculum carriers, 846
 inoculum potential, 551
 insecticidal crystal protein, 879
 interstrain competition, 92, 839
 intestinal mucus, 286
 iodine, 801
 iprodione, 754
 iron phosphate complex, 259
 irradiation, 737
 iturin A, 384
 iturin antibiotic, 164
 Kanagawa phenomenon, 395
 Lake Banyoles, 475
 Lake Erken, 475
 Lake Vallentunasjön, 475
 lamb, 140
 lectins, 69, 183, 771
 legumes, 92, 864
Leucaena, 369
 levansucrase, 159
 Lip, 117
 lipid, 318
 lipid biosynthesis, 164
 lipolysis, 585
 lipopolysaccharide, 582, 885
Listeria, 671
Listeria species, 697
 lysis phenotype, 827
 macrophages, 671
Macroptilium, 369
 magainin, 582
 maltose, 223
 marine, 859
 marine bacterial community, 676

- marine coastal ecosystem, 307
Medicago polymorpha, 10
 melanin, 279
 membrane, 33, 373
 membrane sterol, 384
 methane monooxygenase, 834
 methanogenesis, 573
Methanosaeta concilii, 631
Methanotherx soehngeni, 631
 methional, 500
 methionine-riboflavin mixture, 500
Methylosinus trichosporium, 834
 methyltransferase, 1
 microbial ecology, 231
 microflora, 140
 micromethod, 59
 mineralization, 495
 monoclonal antibodies, 409
 mosquitoes, 804, 870
 most probable number, 273
 multipartite genomes, 538
 mushroom, 617
 mutacin, 123, 507
 mycoparasite, 771
Mycoplasma, 59
 N₂-fixing bacteria, 850
 N₂O reductase, 430
 naphthalene, 718
 naphthalene metabolism, 676
Neisseria, 117
Neisseria gonorrhoeae, 64
 nematophagous fungi, 530
Neocallimastix patriciarum, 513
nit mutants, 352
 nitrification, 273
 nitrifying microorganisms, 273
 nitrocellulose membrane, 231
 nitrogen fixation, 97
 nitrous oxide, 765
 nodulation, 864
 nodule initiation, 10
 nodule life cycle, 136
 norheptaketide, 83
 nostoxanthin, 850
 nucleic acid hybridization, 664
 nystatin resistance, 435
 oleaginous, 318
 optimal conditions for 7 α -hydroxygenase
 production, 725
 oral bacteria, 362
 oral *Bacteroides*, 637
 oral cavity, 231
 ornithine decarboxylase, 682
Orpinomyces bovis, 513
 osmotic stress, 469
 outer membranes, 362, 690
 oxygen tolerance, 400, 449
 ozone, 557
 particles, 859
 pathogenic fungi, 183
 pathogenicity, 697
 peptidoglycan, 419
 peptidyl dipeptidase, 56
 peptone, 299
 peroxisomes, 318
 petite colonies, 697
 petroleum, 169
Phaseolus, 369
 phenol, 573
Phomopsis convolvulus, 86
 phospholipid composition, 435
 phosphorus, 475
 photodynamic toxicity, 500
 photosensory response, 414
Physarum flavicomum, 366
 physical map, 341
 Phytophthora cinnamomi, 183
Piromyces communis, 513
 plant-bacteria interaction, 419, 591
 plant growth promoting rhizobacteria, 265, 591
 plants, 704
 plasmid, 64, 297, 821, 864
 plasmid DNA, 348
 pneumonia, 885
 poliovirus, 664
 poly- β -hydroxybutyrate, 657
 polyamines, 366, 567
 polydnavirus, 538
 polysaccharidase induction, 617
 polysaccharide, 206, 373
Porphyromonas, 637
 powdery mildew, 193
 problem soils, 15
 prostate, 359
 proteases, 33
 protection, 885
 proteic sheath, 631
 proteinase, 510
 proteinases, 804
 proton efflux, 419
 protoplast fusion, 6
 protoplast regeneration, 211
 protoplast surface, 771
 Protozoa, 859
 pseudomonads, 242, 265, 801
Pseudomonas, 850
Pseudomonas cepacia, 879
Pseudomonas maltophilia, 56
 psychrotrophic yeast, 519
 purification, 53, 510
 pycnidial production, 193
 pyrethroid, 495
 Q fever, 292
 radioactivity, 704
 regulation, 718
 resistance, 297
 restriction endonuclease fingerprinting, 24
 restriction endonucleases, 341
 restriction fragment length polymorphism,
 24, 242
 rhizobacteria, 242
 Rhizobiaceae, 223
 rhizobial ecology, 92
Rhizobium, 10, 136, 373, 874
Rhizobium meliloti, 369
 rhizosphere, 254, 265, 279
 rhizosphere bacteria, 419, 591
 rhizosphere colonization, 92
 rhizosphere competence, 484
Rhodococcus, 741
 root morphology, 10
 rumen, 140
Ruminobacter amylophilus, 585
Saccharomyces cerevisiae, 61
Salmonella typhimurium, 582
 sampling time, 254
Sclerotium, 484
 seawater, 47
 serine proteases, 530
 shelf life, 846
Shigella, 348
 soil, 551, 704, 821
Solanum tuberosum, 279
 Southern blot, 359
 spatial distribution, 307
 species diversity, 561
 specificity, 804
 spermidine, 228
 splenic treponemicidal activity, 711
 spore formation, 193
 spores, 149, 419
 sporulation, 86
Staphylococcus aureus, 206

- Staphylococcus lugdunensis*, 455
Staphylococcus schleiferi, 455
starch, 299
Stentor coerules, 414
strain identification, 242
strain persistence, 794
Streptococcus mutans, 123, 507
Streptomyces lividans, 53
Streptomyces spectabilis, 609
Streptomyces spp., 279
stress, 544
structure of arthrographol, 83
sucrase, 159
sucrose, 223
sulfate, 475
sulfate cycling, 400
sulfate-reducing bacteria, 400
sulfide, 430, 765
suppression, 827
surface layers, 327
survival, 821
swine waste, 273
syphilis, 711
Talaromyces flavus, 199, 760
talaron, 760
tartarate, 856
taxonomic study, 850
temperature-sensitive mutation, 827
Termitomyces chypeatus, 617
tetracycline resistance, 64
Thermoascus, 625
thermostability, 625
thermostable direct hemolysin, 395
thermotolerant coliforms, 307
thermotolerant strains, 846
Thioploca, 438
toxigenicity, 464
toxin, 870
transferrin receptor, 145
transformation, 348
trehalose, 223
trehalose lipids, 741, 746
Treponema pallidum, 711
Trichoderma harzianum, 6
Trichoderma reesei, 211
Trichosporon, 856
Triticum aestivum, 419
urban sewage, 47
urea, 218
urease, 218
vaccine, 885
Verticillium dahliae, 500, 760
Verticillium suchlasporium, 530
vesicle, 373
vesicles, 362
Vibrio cholerae 01, 464
Vibrio parahaemolyticus, 395
vibrios, 47
vinclozolin, 754
viral agents, 737
water, 664
watermelon, 352
wheat, 419
white mold, 754
winter wheat, 265
yeast, 609
yeast cell binding capacity, 384
Zymomonas mobilis, 159

